

8' and 10' container



Dimensions and internal capacity

| | | 8' | 10' |
|-------------------------|--------|-------|-------|
| External (mm) | Length | 2,438 | 2,991 |
| | Width | 2,200 | 2,438 |
| | Height | 2,260 | 2,591 |
| Internal (mm) | Length | 2,287 | 2,840 |
| | Width | 2,112 | 2,350 |
| | Height | 2,059 | 2,390 |
| Door | Width | 2,106 | 2,342 |
| Opening (mm) | Height | 1,949 | 2,280 |
| Internal Capacity (CBM) | | 9.95 | 15.95 |

Ratings

| Title | 8' | 10' |
|-------------------|-------|--------|
| Max. Gross Weight | 6,000 | 10,160 |
| Tare Weight | 950 | 1,300 |
| Max. Payload | 5,050 | 8,860 |

Technical Data

| | |
|--|--------------------------------------|
| Material | Corten Steel |
| floor | 28mm plywood floor |
| Classification Society | Germanischer Lloyd or Bureau Veritas |
| Regulations & Standards (only for 10') | ISO/TC-104, TIR, TCT, UIC, CSC |
| Paint Supplier | Hempel |
| Outside colour | RAL 5010 |
| Inside colour | RAL 7035 |

Other Modifications per Request

- own prefix and serial numbers
- own nomination of colours
- lashing strips, lashing rings
- 4 locking bars for 8'
- more ventilators
- steel floor, checker plate or plain steel
- other sizes like 6', 7' and 9'

